GENERAL

antioxidant activity of endophytic fungi isolated from

Published: September 19, 2026 | Index ID: #-

Introduction

In the quest for natural health solutions, scientists have turned to the microscopic world of fungi that live harmlessly inside plants. These organisms, known as endophytic fungi, have emerged as a treasure trove of bioactive compounds. Among their most celebrated properties is the **antioxidant activity of endophytic fungi isolated from**diverse plant species and environmental niches. This article delves into the science behind these fungi, explores how they are discovered, and highlights their potential in medicine, agriculture, and industry.

What Are Endophytic Fungi?

Endophytic fungi are microorganisms that reside within plant tissues—leaves, stems, roots, or seeds—without causing visible harm. They form a mutualistic relationship, often enhancing the host"s stress tolerance, growth, and defense mechanisms. In return, the fungi receive nutrients and a protected habitat.

Key Features

- Symbiosis: Mutual benefits for host and fungus.
- Metabolic Versatility: Ability to produce a wide range of secondary metabolites.
- Ecological Diversity: Found in virtually every plant species across all habitats.

Understanding Antioxidant Activity

Antioxidants are molecules that neutralize free radicals—unstable atoms that can damage cells, proteins, and DNA. By scavenging these reactive species, antioxidants help prevent oxidative stress, which is linked to aging, cancer, cardiovascular diseases, and neurodegenerative disorders.

Why Endophytic Fungi?

Endophytic fungi synthesize antioxidants as part of their defense arsenal against host plant oxidative bursts. Their metabolic pathways produce compounds such as phenolics, flavonoids, terpenoids, and polysaccharides, many of which exhibit potent free radical scavenging abilities.

Isolation Sources of Endophytic Fungi

The phrase **antioxidant activity of endophytic fungi isolated from**often precedes a list of specific plants or environments. Below are common sources where researchers have successfully extracted antioxidant rich endophytes.

1. Medicinal Plants

- Ginkgo biloba – Known for neuroprotective properties.
- Curcuma longa (turmeric) – Source of curcumin like compounds.
- Withania somnifera (ashwagandha) – Contains withanolides.

2. Agricultural Crops

- Oryza sativa (rice) – Endophytes that enhance grain quality.

- Solanum lycopersicum (tomato) – Fungi producing lycopene derivatives.
- Helianthus annuus (sunflower) – Rich in tocopherols.

3. Forest Trees

- Quercus robur (oak) – Endophytes with lignin degrading enzymes.
- Pinus sylvestris (Scots pine) – Fungi producing terpenoid antioxidants.

4. Marine Plants and Algae

- Gracilaria (red algae) – Fungi yielding sulfated polysaccharides.
- Fucus vesiculosus (bladder wrack) – Endophytes synthesizing fucoxanthin analogs.

5. Extremophilic Environments

- Arctic moss – Fungi adapted to low temperatures.
- Desert succulents – Endophytes producing drought resistant antioxidants.

Methodology: From Field to Lab

Discovering the antioxidant potential of endophytic fungi involves a series of meticulous steps, from sample collection to bioassay validation.

1. Sample Collection

Researchers collect healthy plant tissues, ensuring minimal contamination. Sterile tools and containers are essential.

2. Surface Sterilization

To isolate internal fungi, plant parts are washed with ethanol and sodium hypochlorite solutions, then rinsed with sterile water. This step eliminates epiphytic microbes.

3. Cultivation on Selective Media

After sterilization, tissues are cut into small segments and placed on agar plates containing antibiotics to suppress bacterial growth. Common media include Potato Dextrose Agar (PDA) and Malt Extract Agar (MEA).

4. Incubation and Colony Selection

Fungal colonies are monitored over 1–3 weeks. Distinct morphologies are subcultured to obtain pure isolates.

5. Molecular Identification

DNA is extracted, and the ITS (Internal Transcribed Spacer) region is amplified using PCR. Sequencing and BLAST analysis determine the fungal species.

6. Extraction of Metabolites

Pure cultures are grown in liquid media. The broth is filtered, and metabolites are extracted using solvents such as methanol, ethyl acetate, or butanol.

7. Antioxidant Screening

Several assays evaluate antioxidant capacity:

- DPPH Radical Scavenging Assay – Measures free radical neutralization.
- ABTS Assay – Assesses radical cation scavenging.
- Ferric Reducing Antioxidant Power (FRAP) – Indicates reducing ability.
- Oxygen Radical Absorbance Capacity (ORAC) – Evaluates peroxyl radical scavenging.

8. Bioactivity Confirmation

Promising extracts undergo further purification via chromatography, and isolated compounds are structurally characterized using NMR, MS, and IR spectroscopy.

Mechanisms Behind Antioxidant Production

Endophytic fungi produce antioxidants through several biosynthetic pathways. Understanding these mechanisms is key to harnessing their full potential.

1. Phenylpropanoid Pathway

Many fungi convert phenylalanine into phenolic compounds that scavenge radicals. Laccases and peroxidases facilitate oxidation steps.

2. Terpenoid Biosynthesis

Terpenoids such as sesquiterpenes and diterpenes exhibit strong antioxidant activity. The mevalonate pathway is central to their synthesis.

3. Polysaccharide Production

Polysaccharides with beta glucan structures can modulate oxidative stress by upregulating host antioxidant enzymes.

4. Secondary Metabolite Regulation

Environmental cues—light, temperature, and host signals—trigger gene clusters responsible for antioxidant metabolite production.

Applications Across Sectors

Harnessing the antioxidant potential of endophytic fungi opens doors to innovative products and technologies.

1. Pharmaceutical Development

- Neuroprotective Agents – Compounds that mitigate oxidative damage in neuronal tissues.
- Anti Inflammatory Drugs – Antioxidants that reduce cytokine production.
- Cancer Chemopreventives – Molecules that inhibit free radical induced DNA mutations.

2. Nutraceuticals and Functional Foods

- Fortified teas and juices enriched with fungal extracts.
- Dietary supplements featuring standardized antioxidant concentrations.

3. Agriculture and Horticulture

- Biostimulants that enhance plant tolerance to drought and salinity.
- Biocontrol agents that suppress phytopathogens while boosting host defenses.

4. Cosmetics and Personal Care

- Skin care formulations with antioxidant extracts to protect against UV induced oxidative stress.
- Hair conditioners that prevent oxidative damage to hair fibers.

5. Industrial Biotechnology

- Bioremediation of polluted environments using antioxidant producing fungi.
- Enzyme production for food processing and biofuel production.

Case Studies Highlighting Success

Case Study 1: Antioxidants from Phomopsis* sp. Isolated from Ginkgo Biloba

Researchers isolated a fungal strain from Ginkgo leaves that produced a novel flavonoid derivative. The compound exhibited an IC50 of 12 µg/mL in the DPPH assay, outperforming standard vitamin C by 30%. Subsequent in vivo studies in rodent models demonstrated reduced oxidative markers in liver tissues.

Case Study 2: Terpenoid Antioxidants from Trichoderma* sp. in Rice

A Trichoderma isolate from rice roots synthesized a sesquiterpene lactone with potent ABTS scavenging activity (IC50 8 µg/mL). The fungus also conferred drought tolerance to rice seedlings, linking antioxidant production to plant resilience.

Case Study 3: Polysaccharide Antioxidants from Marine Endophytes

Endophytes from the red alga *Gracilaria*yielded sulfated ;" vÇV6 ç0. These polysaccharides displayed ORAC values of 1.5 mmol TE/g, comparable to commercial antioxidant supplements. Their anti inflammatory effects were confirmed in macrophage cell cultures.

Challenges in Harnessing Endophytic Antioxidants

While the potential is vast, several obstacles remain:

1. Cultivation Difficulties

Many endophytes are fastidious, requiring specific media or co culture with host tissues.

2. Low Yield of Bioactive Compounds

Secondary metabolite production can be minimal, necessitating large fermentation volumes.

3. Regulatory Hurdles

Novel fungal products must undergo rigorous safety and efficacy testing before market approval.

4. Intellectual Property Issues

Patentability of naturally derived compounds can be complex, especially when similar structures exist in the literature.

Future Directions and Emerging Trends

Advancements in technology and interdisciplinary collaboration are accelerating the exploration of endophytic fungi.

1. Metagenomics and High Throughput Sequencing

Whole genome sequencing of endophytes reveals hidden biosynthetic gene clusters, guiding targeted metabolite discovery.

2. Synthetic Biology and Genetic Engineering

Modifying fungal genomes can enhance antioxidant production, enabling scalable manufacturing.

3. Systems Biology Approaches

Integrating transcriptomics, proteomics, and metabolomics provides a holistic view of antioxidant biosynthesis.

4. Sustainable Production Platforms

Bioreactors using agro waste substrates reduce costs and environmental impact.

5. Personalized Medicine

Endophytic antioxidant profiles may inform individualized therapeutic strategies based on patient genetics and lifestyle.

Conclusion

Baca Juga (Artikel Terkait)

- **advanced engineering electromagnetics solution manual edition hardcover by balanis constantine a published by wiley**
  URL: http://denniswildberger.com/advanced-engineering-electromagnetics-solution-manual-edition-hardcover-by-balanis-constantine-a-published-by-wiley.pdf
- **advanced engineering electromagnetics solutions manual**
  URL: http://denniswildberger.com/advanced-engineering-electromagnetics-solutions-manual.pdf
- **advanced engineering electromagnetics wiley 1989 grading**
  URL: http://denniswildberger.com/advanced-engineering-electromagnetics-wiley-1989-grading.pdf
- **advanced engineering fluid mechanics by biswas**
  URL: http://denniswildberger.com/advanced-engineering-fluid-mechanics-by-biswas.pdf

Tags: #antioxidant #activity #endophytic